



# Customer Product Specification



<b>Product Description</b>	MPS 110mm Smooth Cap, Black , with IHS Wad (Selig safe-gard 960 plus)
<b>Product Code</b>	A1-110-04 IHS

Product Photograph	Product Details				
	<b>Nominal Weight</b>	17.0g	<b>Process</b>	Injection Moulding	
	<b>Neck Size</b>	110mm			
	<b>Wad Material</b>				
	Induction Heat Seal IHS (Selig Safe-gard 960 plus)				
	<b>Materials</b>				
	<b>Description</b>	<b>%</b>	<b>Ref Code</b>	<b>Supplier</b>	
	Polypropylene	99	RM1001	Hardie Polymers	
	Black Masterbatch	1	MB2009	Gabriel Chemie	
	<b>Packaging Information</b>				
	<b>Packaging Description</b>	Product is tumble packed into a lined cardboard box. The boxes are taped, sealed and palletised, The pallet is stretch wrapped for stability			
	<b>Box Qty</b>	350	<b>Pallet size</b>	Std 1.2m x 1.0m	
	<b>Pallet Height</b>	2.6m	<b>Pallet Quantity</b>	8750	
	<b>Boxes on pallet</b>	25			
<b>Half height Pallet Specification Information</b>					
<b>Signed</b>	 Iain Mcleod		<b>Date</b>	30 <sup>th</sup> March 2022	

# Customer Product Specification

**Product Description** MPS 110mm Ribbed Cap, Black, with IHS Wad (Selig safe gard 960 plus)  
**Product Code** 12-110N-04 IHS




Freshness and Protection for Today's Packaging

## Safe-Gard plus™ Technical Data Sheet

### 1.0mm Safe-Gard plus-960

Revision: SGPLUS960-10072016

<b>Product</b>	1.0mm Safe-Gard plus™ 960		
<b>Scope</b>	Two piece pulp backed heat induction foil innerseal that will provide a weld seal to PET and PVC containers.		
<b>Composition</b>	<b>Material</b>	<b>Standard</b>	<b>Metric</b>
	Pulp	0.036"	0.90mm
	Wax	-	16gsm
	Foil	0.001"	0.025mm
	Heat Seal	0.0006"	0.015mm



Adhesive or resin bonding layers not shown.

<b>FDA Status:</b> Upon request	<b>Recommended Storage and Handling:</b> Refer to website
<b>Drug Master File (DMF):</b>	<b>EU / EP Reg.:</b> 1935/2004/EC, 10/2011/EC, 2023/2006/EC
<b>GTR Oxygen:</b> Essentially Zero	<b>MVTR:</b> Essentially Zero
<b>Print Location (if any):</b> On foil layer	

Selig materials are compliant with limitation of heavy metals in packaging per CONEG & EU 94/62/EC, article 11.

MSDS's are not required as Selig is not a chemical manufacturer or distributor and our products are 'articles' intended for food packaging per 29 CFR 1910.1200 (HazCom).

The information contained within this product data bulletin is to be used as a general guide in determining which structures are offered for sealing to specific container materials. All of the information which we provide is reliable to the best of our knowledge, but the accuracy thereof is not guaranteed. We suggest that consumers determine suitability for their own application.

[www.seligsealing.com](http://www.seligsealing.com)

Corporate Headquarters  
Selig Sealing Products, Inc.  
342 E Wabash St  
Forrest, IL 61741, USA  
Phone: +1 (815) 785-2100  
Fax: +1 (815) 657-7584

North American Sales  
Selig Sealing Products, Inc.  
184 Shuman Blvd., Suite 310  
Naperville, IL 60563, USA  
Phone: +1 (630) 922-3158  
Fax: +1 (630) 922-8469

European Sales and Manufacturing  
Selig UK, LTD 635-637 Ajax Avenue  
Slough Trading Estate  
Slough Berkshire SL14BH UK  
Phone: +44 (0) 1753 773 000  
Fax: +44 (0) 1753 773 111

Canadian Manufacturing  
Selig Canada, ULC  
145 Edward Street  
Aurora, Ontario Canada, L4G 1W3  
Phone: +1 (905) 727-0114  
Fax: +1 (905) 727-8544

Swiss Manufacturing  
Selig Switzerland LTD  
Bahnhofstrasse 11  
CH-8172 Niederglatt  
Phone: +41 (0) 44 851 50 50  
Fax: +41 (0) 44 851 50 51

All Selig manufacturing facilities are ISO 9001 certified. For details, visit [www.seligsealing.com/certifications](http://www.seligsealing.com/certifications)